

FULLCURE720, RGD720

***** Section 1 - Chemical Product and Company Identification *******Product Use:** Ink Cartridge - Professional Use**Chemical Name:** Ink Cartridge - Professional Use**Manufacturer Information**

Objet Inc.

5 Fortune Drive

Billerica, MA 01821

E-mail: objet-info@stratasys.com, www.stratasys.com

Phone: 1-877-489-9449

24H Emergency Telephone Service

- +49 722 97772280 - Europe - Multi lingual response
- +49 722 97772281 - Global – English Language response
- +1 978 495 5580 - USA – Multi-lingual response
- +85 2 975 70887 - Asia Pacific - Multi lingual response
- +61 2 8011 4763 - Australia - Multi lingual response
- +86 15626070595 - China - Chinese response

***** Section 2 - Hazards Identification *******Emergency Overview**

This product is considered to be an article according to 29 CFR 1910.1200 (OSHA Hazard Communication Standard) and the Canadian Controlled Product Regulations. While no specific safety information is required for articles, this Material Safety Data Sheet is provided for informational purposes.

As manufactured and supplied, the Objet ink cartridge is not hazardous under normal conditions of use. While unlikely, uncured ink may leak from damaged ink cartridges and cause eye irritation. Uncured ink may cause an allergic response in sensitized individuals.

Potential Health Effects: Eyes

Uncured ink is expected to be irritating to the eyes. Uncured ink may polymerize and adhere to eye tissue.

Potential Health Effects: Skin

Uncured ink is irritating to the skin. Uncured ink may polymerize and adhere to skin. Uncured ink may cause an allergic response in sensitized individuals.

Potential Health Effects: Ingestion

Ingestion is not a likely exposure route. Uncured ink is expected to be irritating to the digestive tract. Ingestion of large quantities is likely to cause nausea and vomiting.

Potential Health Effects: Inhalation

Inhalation is not a likely exposure route. Inhalation expected to cause respiratory tract irritation, nausea, and headache.

HMIS Ratings: Health: 1 Fire: 1 Physical Hazard: 0

Hazard Scale: 0 = Minimal 1 = Slight 2 = Moderate 3 = Serious 4 = Severe * = Chronic hazard

***** Section 3 - Composition / Information on Ingredients *****

CAS #	Component	Percent
5888-33-5	Isobornyl acrylate	10-30
Proprietary	Acrylic monomer	10-30
Proprietary	Acrylate oligomer	5-10; 10-30
Proprietary	Acrylate oligomer	5-10; 10-30
Proprietary	Acrylate oligomer	5-10; 10-30
Proprietary	Photoinitiator	0.1-1.0; 1-5

Component Information/Information on Non-Hazardous Components

This product is considered to be an article according to 29 CFR 1910.1200 (OSHA Hazard Communication Standard) and the Canadian Controlled Product Regulations.

While no specific safety information is required for articles, this Material Safety Data Sheet is provided for informational purposes. The liquid within the cartridges is considered hazardous, and the MSDS has been prepared in case of exposure to the liquid.

***** Section 4 - First Aid Measures *******First Aid: Eyes**

Flush eyes immediately with water for at least 15 minutes. Seek medical attention if irritation develops or persists. If product polymerizes and adheres to eye tissue, DO NOT attempt to remove. Get immediate medical attention.

First Aid: Skin

If exposed to ink, remove contaminated clothing. Immediately wash affected area with soap and water, and seek medical attention if irritation develops or persists. If product polymerizes and adheres to skin, DO NOT attempt to remove. Get immediate medical attention.

First Aid: Ingestion

If ingested, seek immediate medical advice. DO NOT INDUCE VOMITING!

First Aid: Inhalation

Remove source of contamination or move affected person to fresh air. Seek medical advice if irritation develops or persists.

***** Section 5 - Fire Fighting Measures *******General Fire Hazards**

See Section 9 for Flammability Properties.

Hazardous Combustion Products

Upon combustion, release of toxic and corrosive gases/ vapors (nitrous vapors, carbon monoxide and carbon dioxide).

Extinguishing Media

Water spray, dry chemical, carbon dioxide.

Specific Hazards Arising From the Chemical

During a fire, cool closed containers by spraying with water. Use water spray to dilute toxic gases.

Fire Fighting Equipment/Instructions

Firefighters should wear full protective clothing including self contained breathing apparatus. Firefighters should avoid inhaling any combustion products. Prevent run-off from fire fighting from entering sewers or water ways.

NFPA Ratings: Health: 1 Fire: 1 Reactivity: 0

Hazard Scale: 0 = Minimal 1 = Slight 2 = Moderate 3 = Serious 4 = Severe

***** Section 6 - Accidental Release Measures *******Personal Precautions**

Refer to Section 8 of this MSDS.

Containment Procedures

Intact cartridges do not pose a leak or spill hazard. Damaged cartridges may leak uncured ink. Stop the flow of material, if this is without risk.

Environmental Precautions

Prevent release to soil and water. Avoid release to sanitary sewer system (consult local authorities for advice).

Clean-Up Procedures

Use an inert absorbent to take up liquid ink. Transfer slurry to a suitable container for disposal. Wash contaminated surfaces with soap and water.

Evacuation Procedures

Not ordinarily required.

Special Procedures

Contact local regulatory authorities for advice regarding disposal of cleanup materials.

***** Section 7 - Handling and Storage *******Handling Procedures**

For damaged cartridges: Avoid getting this material into contact with your skin and eyes. Immediately take off all contaminated clothing. Wash contaminated clothing before reuse. Wash thoroughly after handling. Do not discharge waste into drains or open waterways.

Storage Procedures

Keep the container tightly closed. Store at room temperature. Keep out of direct sunlight. Keep the container dry. Do not handle or store near an open flame, heat or other sources of ignition. Store at 15-25 °C (59-77 °F). Store in a dark area. Shipment temperature – up to 5 weeks: -20 – 50 °C (-4 to 122°F)

***** Section 8 - Exposure Controls / Personal Protection *******A: Component Exposure Limits**

ACGIH, OSHA, and NIOSH have not developed exposure limits for any of this product's components.

Engineering Controls

Use local exhaust ventilation, when uncured ink is exposed.

PERSONAL PROTECTIVE EQUIPMENT**Personal Protective Equipment: Eyes/Face**

Not ordinarily required. Chemical goggles or safety glasses with side shields should be worn when handling a damaged cartridge.

Personal Protective Equipment: Skin

Not ordinarily required. Wear neoprene or nitrile impervious gloves when handling damaged cartridge. Wash contaminated clothing before re-use.

Personal Protective Equipment: Respiratory

Not ordinarily required. In emergency situation where protection is required, wear a NIOSH/MSHA approved self-contained breathing apparatus.

Personal Protective Equipment: General

Use good industrial hygiene practices in handling this product.

***** Section 9 - Physical & Chemical Properties *****

Appearance:	Ink cartridge; Content: Yellow liquid	Odor:	Contents: Characteristic
Physical State:	Article; Contents: Yellow liquid	pH:	Not Applicable
Vapor Pressure:	Not Applicable	Vapor Density:	Not Applicable
Boiling Point:	Not Applicable	Melting Point:	Not Applicable
Solubility (H2O):	Not Applicable	Specific Gravity:	Not Applicable
Evaporation Rate:	Not Applicable	Octanol/H2O Coeff.:	Not Applicable
Flash Point:	> 212 °F (> 100 °C)	Auto Ignition:	Not Applicable

***** Section 10 - Chemical Stability & Reactivity Information *******Chemical Stability**

Instability caused by exposure to light and heat.

Chemical Stability: Conditions to Avoid

Exposure to heat and light.

Incompatibility

Not applicable under normal conditions of use and storage.

Hazardous Decomposition

Combustion products include carbon dioxide, carbon monoxide, low molecular weight hydrocarbons, and nitrogen oxides.

Possibility of Hazardous Reactions

Uncured ink will polymerize on exposure to light or heat.

***** Section 11 - Toxicological Information *******Acute Dose Effects****A: General Product Information**

Under normal conditions of use, the likelihood of exposure to uncured ink is very small.

The following symptoms may appear when the cartridge components are released:

After Skin Contact: tingling or irritation of the skin.

After Eye Contact: irritation, inflammation or damage of the eye tissue.

B: Component Analysis - LD50/LC50**Isobornyl acrylate (5888-33-5)**

Oral LD50 Rat 4890 mg/kg; Dermal LD50 Rabbit >5 g/kg

Repeated Dose Effects

Repeated exposure may produce an allergic reaction. Symptoms may include: skin rash and inflammation.

Irritation

Contact with uncured ink is likely to irritate the eyes. Uncured ink may polymerize, and adhere to tissue.

Carcinogenicity**A: General Product Information**

No information available for product.

B: Component Carcinogenicity

None of this product's components are listed by ACGIH, IARC, OSHA, NIOSH, or NTP.

Teratogenicity

Contains traces of a (possible) fertility impairing substance (photoinitiator).

Sensitization

Uncured ink contains a skin sensitizer.

***** Section 12 - Ecological Information *******Ecotoxicity****A: General Product Information**

No data available for product. Do not allow this material to drain into sewers/water supplies.

B: Component Analysis - Ecotoxicity - Aquatic Toxicity

No ecotoxicity data are available for this product's components.

Persistence & Degradability

No information available for product.

Bioaccumulation & Accumulation

No information available for product.

Mobility in Environmental Media

No information available for product.

***** Section 13 - Disposal Considerations *******US EPA Waste Number & Descriptions****A: General Product Information**

No information available for the product.

B: Component Waste Numbers

No EPA Waste Numbers are applicable for this product's components.

Disposal Instructions

Refer to manufacturing/supplier for information on recovery/recycling. Do not landfill. Do not discharge into drains or the environment.

See Section 7 for Handling Procedures. See Section 8 for Personal Protective Equipment recommendations.

***** Section 14 - Transportation Information *******US DOT Information**

Shipping Name: Not regulated as a hazardous material for transportation.

TDG Information

Shipping Name: Not regulated as a hazardous material for transportation.

***** Section 15 - Regulatory Information *******US Federal Regulations****A: General Product Information**

Components of this product have been checked against the non-confidential TSCA inventory by CAS Registry Number. Components not identified on this non-confidential inventory are either exempt from listing (i.e. polymers, hydrates) or are listed on the confidential inventory as declared by the supplier. All components listed in this product appear on the Canadian DSL/NDSL.

B: Component Analysis

None of this products components are listed under SARA Section 302 (40 CFR 355 Appendix A), SARA Section 313 (40 CFR 372.65), or CERCLA (40 CFR 302.4).

State Regulations**A: General Product Information**

Other state regulations may apply. Check individual state requirements.

B: Component Analysis - State

None of this product's components are listed on the state lists from CA, MA, MN, NJ, PA, or RI.

Canadian WHMIS Information**A: General Product Information**

This product is an article. Should the product break, or leak, the contents of the cartridge would be classified as the following:

Class D2B - Sensitization

B: Component Analysis - WHMIS IDL

No components are listed in the WHMIS IDL.

Additional Regulatory Information**A: General Product Information**

No information available for the product.

B: Component Analysis - Inventory

Component	CAS #	TSCA	EEC	DSL	NDSL
Acrylic monomer	Proprietary	Yes	ELINCS	No	Yes
Isobornyl acrylate	5888-33-5	Yes	EINECS	Yes	No
Acrylate oligomer	Proprietary	Yes	No	Yes	No
Acrylate oligomer	Proprietary	Yes	No	Yes	No
Acrylate oligomer	Proprietary	Yes	EINECS	No	Yes
Photoinitiator	Proprietary	Yes	ELINCS	Yes	No

***** Section 16 - Other Information *******Other Information**

The information herein is presented in good faith and believed to be accurate as of the effective date given. However, no warranty, expressed or implied, is given. It is the buyer's responsibility to ensure that its activities comply with Federal, State or provincial, and local laws.

MSDS History

New MSDS September 26, 2004.

Revision 2.0: September 15, 2011.

Addition of 24H emergency telephone service: September 19, 2011

Key/Legend

ACGIH = American Conference of Governmental Industrial Hygienists; CAS = Chemical Abstracts Service; CERCLA = Comprehensive Environmental Response, Compensation, and Liability Act; CFR = Code of Federal Regulations; CPR = Controlled Products Regulations; DOT = Department of Transportation; DSL = Domestic Substances List; EINECS = European Inventory of Existing Commercial Chemical Substances; EPA = Environmental Protection Agency; IARC = International Agency for Research on Cancer; IATA = International Air Transport Association; mg/Kg = milligrams per Kilogram; mg/L = milligrams per Liter; mg/m³ = milligrams per Cubic Meter; MSHA = Mine Safety and Health Administration; NA = Not Applicable or Not Available; NIOSH = National Institute for Occupational Safety and Health; NJTSR = New Jersey Trade Secret Registry; NTP = National Toxicology Program; OSHA = Occupational Safety and Health Administration; SARA = Superfund Amendments and Reauthorization Act; STEL = Short Term Exposure Limit; TDG = Transport Dangerous Goods; TSCA = Toxic Substances Control Act; WHMIS = Workplace Hazardous Materials Information System.

End of Sheet FC-720